

**WAUKESHA  
COUNTY**  
Department of Administration

November 17, 2004

Amendment No. 1

Informal Bid No. 24062

Description: Masonry Repair & Tuckpointing

Opening Date: 11/30/04

Notice to Bidders:

An Invitation to Bid on the above was sent to you. Please note the following:

1. Project is expected to commence in early spring of 05 and should be priced accordingly.
2. The silane sealer is to be applied in accordance with the Manufacturer's recommendation.
3. 16 oz. Sheet Copper is to be used for the thru-wall flashing. Joints are to be soldered.
4. Bricks that are spalling are to be replaced.
5. Adjustments may be allowed to the bid price only if during the process additional repair work is discovered that could not have been known prior to project commencement.
6. If there is 10% or more variance (up or down) in the amount of brick or glass block to be replaced, adjustments will be made in accordance with the following:

State total cost per lot of 30 bricks inclusive of labor and materials for adding: \$ \_\_\_\_\_

State total cost per lot of 30 bricks inclusive of labor and materials for deduct: \$ \_\_\_\_\_

State total cost per lot of 2 glass blocks inclusive of labor and materials for adding: \$ \_\_\_\_\_

State total cost per lot of 2 glass blocks inclusive of labor and materials for deduct: \$ \_\_\_\_\_

This amendment should be attached to your bid and submitted in accordance with the directions stated on the Invitation to Bid before 10:30 a.m. on the opening date. If you have already submitted your bid, your amendment must be submitted prior to 10:30 a.m. of the opening date in a sealed envelope (or faxed if the bid allowed for fax responses). If mailed, the envelope must be identified in the lower left corner as follows:

Amendment to Bid No. 24062

Opening Date: 11/30/04    Masonry Repair & Tuckpointing

ANY BID/AMENDMENT RECEIVED IN AN ENVELOPE NOT PROPERLY AND CLEARLY MARKED AS SPECIFIED MAY RESULT IN THE BID BEING REJECTED. The County is not liable for any bid submitted in an improperly marked envelope.

Sincerely,  
Cindy Greco  
Senior Buyer

This is to certify that I/we have read the above and have incorporated it in my/our response. I/we understand that the same terms and conditions of the Invitation to Bid apply to the above.

Printed Name: \_\_\_\_\_ Date: \_\_\_\_\_

Signature: \_\_\_\_\_ Name of Firm: \_\_\_\_\_

**Purchasing Division**  
1320 Pewaukee Road, Room 370  
Waukesha, Wisconsin 53188-2473  
Phone: (262)548-7888  
Fax: (262)548-7668